



The World's Finest Surgical Instruments Since 1921

# Transplant Instruments





## Committed To Our Customers...

Dear Customer,

The Scanlan family has specialized in the design and manufacture of the world's finest surgical instrumentation and single-use products since 1921. Now in our fourth generation, our family continues its dedication to providing you with the best surgical products available in the world. This brochure is a collection of our precision products, all designed specifically to address your needs within the O.R. and S.P.D.

Our goal is to continuously enhance our designs to serve you, your hospital and ultimately, your patients. Thank you for your continued support and demand for the finest surgical products.

Sincerely,

Timothy M. Scanlan  
President and Chief Executive Officer

Russell T. Scanlan  
Chief Operating Officer



Joseph  
Scanlan

Russell  
Scanlan

Tim  
Scanlan

Adam  
Scanlan

Chenoa  
Scanlan

SCANLAN®

# Transplant Instruments


Kidney, Pancreas, Liver

Since 1921, Scanlan International, Inc. has been designing and manufacturing the world's finest surgical instrumentation. Our transplant line is a unique collection of instruments for procedures working within small to medium sized surgical fields. Each instrument is designed with the highest grade stainless steel or titanium alloys, and are handcrafted with meticulous precision... allowing excellent tactile response and control.

Titanium Needle Holders .....	page 4
Stainless Steel Needle Holders .....	page 7
Titanium Forceps .....	page 8
Stainless Steel Forceps .....	page 10
Scissors .....	page 15
Aorta / Vein Punch .....	page 18
Silicone Loops .....	page 19



# Titanium NEEDLE HOLDERS




3003-354

## SCANLAN® LEGACY Needle Holders

Round Handle | 10 mm Diameter, Extended Knurling

**Jaws**  
(enlarged to show detail)

	Cat. No.	Description	Recommended Suture Size	Total Length
	3003-354	Straight, DIAMOND DUST™ Jaws	5-0 and Smaller	8" [20 cm]
	3003-356	Streamline Box Lock With Ratchet		9" [23 cm]




3003-540

## SCANLAN® Jacobson Needle Holders


For Large Needles | Round Handle

**Jaws**  
(enlarged to show detail)

	Cat. No.	Description	Recommended Suture Size	Total Length
	3003-540	Straight, DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	2-0 and Smaller	10" [25.4 cm]

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.





3003-466


## SCANLAN® Micro Needle Holders

Ring Handle

### Jaws

(enlarged to show detail)

	Cat. No.	Description	Recommended Suture Size	Total Length
	3003-462	Straight, DIAMOND DUST™ Jaws	5-0 and Smaller	7 1/4" (18.5 cm)
	3003-466			8 3/4" (22 cm)



3003-434

## SCANLAN® Ryder Needle Holders

Ring Handle

### Jaws

(enlarged to show detail)

	Cat. No.	Description	Recommended Suture Size	Total Length
	3003-434	Straight, DIAMOND DUST™ Jaws	5-0 and Smaller	7 1/2" (19 cm)

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.




# Titanium **NEEDLE HOLDERS**

SCANLAN®  
Transplant Instruments | Kidney, Pancreas, Liver

SCANLAN®  
**Jacobson Needle Holders**  
Round Handle



3003-180

Jaws (enlarged to show detail)	Cat. No.	Description	Recommended Suture Size	Total Length
	3003-180	Straight, DIAMOND DUST™ Jaws Streamline Box Lock With Ratchet	5-0 and Smaller	8" (20 cm)

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.





# Stainless Steel **NEEDLE HOLDERS**

## SCANLAN® Stratte Valve Needle Holders

Ring Handle

**Jaws**  
(enlarged to show detail)

	Cat. No.	Description	Recommended Suture Size	Total Length
	6006-15	Curved, Carbon-Inlay Jaws Gold Handle	2-0 and Smaller	7 1/2" (19 cm)
	6006-16			10" (25.4 cm)




6006-16

## SCANLAN® Micro Needle Holders

Ring Handle

**Jaws**  
(enlarged to show detail)

	Cat. No.	Description	Recommended Suture Size	Total Length
	6006-32	Straight, DIAMOND DUST™ Jaws	5-0 and Smaller	7 1/4" (18.5 cm)
	6006-40			10" (25.4 cm)



6006-32

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.






# Titanium **FORCEPS**



3003-916

## SCANLAN® LEGACY Micro Forceps

Round Handle | *Never Shear™* Dual Guide™ | 10 mm Diameter, Extended Knurling

Tip (enlarged to show detail)	Cat. No. 0.5 mm Tips	Cat. No. 1.0 mm Tips	Description	Total Length
	3003-904	3003-914	Straight, DIAMOND DUST™ Platform Tips	8 1/4" (21 cm)
	3003-906	3003-916		9" (23 cm)
	3003-908	3003-918		10" (25.4 cm)



3003-730

## SCANLAN® DeBakey Micro Forceps

Round Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	3003-730	1mm Straight, DeBakey Tips	7 1/8" (18.1 cm)

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.








SCANLAN®  
**Dennis Micro Forceps**

Round Handle | Counterbalanced

3003-714

**Tip**

(enlarged to show detail)

	Cat. No.	Description	Total Length
	3003-714	Straight, DIAMOND DUST™ Platform Tips	8 1/4" (21 cm)



SCANLAN®


**DeBakey Dissecting Forceps**

Flat Handle

3003-04

**Tip**

(enlarged to show detail)

	Cat. No.	Description	Total Length
	3003-04	2 mm Straight, DeBakey Tips	7 3/4" (19.5 cm)

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.



# Stainless Steel **FORCEPS**



SCANLAN®  
**Gerald DeBakey Forceps**  
Flat Handle

4004-242

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-242	1 mm Straight, DeBakey Tips	8" (20 cm)



SCANLAN®  
**DeBakey Forceps**  
Flat Handle

4004-45

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-45	2 mm Straight, DeBakey Tips	7 3/4" (19.5 cm)
	4004-50	2 mm Straight, DeBakey Tips	9 1/2" (24 cm)

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.





4004-37

SCANLAN®  
**DeBakey Needle Pulling Tissue Forceps**  
Flat Handle (Gold Handle)

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-37	2 mm Straight, Carbon-Inlay with DeBakey Tips	7 1/2" (19 cm)



4004-79

SCANLAN®  
**Gerald Forceps**  
Flat Handle

Tip (enlarged to show detail)	Cat. No.	Description	Total Length
	4004-79	1mm Straight, Cross-Serrated Tips	10" (25.4 cm)

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.



# CLAMPS

SCANLAN®  
Transplant Instruments | Kidney, Pancreas, Liver


## SCANLAN® Aorta Clamps

DeBakey Jaws

Instrument jaws are shown approximate size



3003-72

	Cat. No.	Description	Total Length
	3003-72	Lambert-Kay Aorta Clamp 3 cm Jaws	8" (20 cm)

## SCANLAN® Dennis Multi-Purpose Clamps

Angled DeBakey Jaws



2002-80


	Cat. No.	Description	Total Length
	2002-80	6 cm, 45° Angled Jaws	7 1/4" (18.5 cm)

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.



## SCANLAN® Dennis Multi-Purpose Clamps


Angled DeBakey Jaws


	Cat. No.	Description	Total Length
	2002-88	8 cm, 45° Angled Jaws	8" (20 cm)



2002-88

## SCANLAN® Aorta Clamps

	Cat. No.	Description	Total Length
	3003-88	7 cm, 2x3 DeBakey Jaws	10 1/2" (27 cm)



3003-88

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.




# CLAMPS

## SCANLAN® Micro Clamps

Angled DeBakey Jaws

Instrument jaws are shown  
approximate size



	Cat. No.	Description	Total Length
	3003-614	60° Angled Jaws, 23 mm Jaw Length	4 1/8" (10.5 cm)



3003-614

## SCANLAN® Reliance Bulldog Clamps

DeBakey Jaws

		Cat. No.	Description	Total Length
<b>Straight</b>		3795-50	25 mm, Straight DeBakey Jaws	2" (5 cm)
<b>Curved</b>		3795-51	25 mm, Curved DeBakey Jaws	2" (5 cm)



3795-51

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.



SCANLAN®  
**Mayo Scissors**  
Ring Handle



7007-206SC

Instrument blades are shown approximate size


	Super Cut™ Cat. No.	Description	Total Length
	7007-205SC	Straight Round Blades	7 1/2" (19 cm)
	7007-206SC	Curved Round Blades	6 3/4" (17 cm)

SCANLAN®  
**Stevens Tenotomy Scissors**  
Ring Handle



7007-210SC

Instrument blades are shown approximate size

	Super Cut™ Cat. No.	Description	Total Length
	7007-210SC	Curved Blades, Tenotomy Tips	4 5/8" (11.7 cm)

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.




# SCISSORS

## SCANLAN® Metzenbaum Scissors

Ring Handle

Instrument blades are shown approximate size

	Super Cut™ Cat. No.	Description	Total Length
	7007-218-1SC	Curved Blades, Fine Tips	7" (18 cm)
	7007-224-1SC		10 1/4" (26 cm)




7007-218-1SC

## SCANLAN® Metzenbaum Scissors

Ring Handle

Instrument blades are shown approximate size

	Super Cut™ Cat. No.	Description	Total Length
	7007-220SC	Curved Blades, Tenotomy Tips	8" (20 cm)
	7007-222SC		9" (23 cm)



7007-220SC

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.







SCANLAN®  
**Diethrich-Potts Scissors**

Ring Handle | Angled Blades

Instrument blades are shown approximate size

	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-252SC	7007-252	45° Angled Fine Blades	7" [18 cm]
	7007-256SC	7007-256	90° Angled Fine Blades	




7007-252SC

SCANLAN®  
**Peck Joseph Scissors**

Ring Handle

Instrument blades are shown approximate size

	Super Cut™ Cat. No.	Ultra Sharp® Cat. No.	Description	Total Length
	7007-295SC	7007-295	Curved Blades ,Blunt Tips	6" [15 cm]



7007-295SC

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.




# Aorta / Vein PUNCHES

Precisely engineered Scissor Cut™ blades featured on SCANLAN® single-use aorta/vein punches provide incisions in preparation for anastomosis to facilitate successful completion of coronary artery bypass grafting surgery. SCANLAN® single-use aorta/vein punches have finger rings, a tapered tip, and are available in two lengths (Original and Ultimate™), two styles (round and elliptical), and nine cutting sizes. Radiopaque. Not made with natural rubber latex.



1001-605

## SCANLAN® Original Aorta / Vein Punches

Cat. No.	Hole Size	Total Length
1001-605	Round  5.0 mm	5 3/4" [14.6 cm]
1001-608	Elliptical  2.0 x 4.0 mm	

1 per sterile package, 5 packages per box



1001-601

## SCANLAN® Ultimate Aorta / Vein Punches

Cat. No.	Hole Size	Total Length
1001-626	Round  5.0 mm	7 1/2" [19 cm]
1001-609	Elliptical  2.0 x 4.0 mm	

1 per sterile package, 5 packages per box

Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.





Designed to assist surgeons in complicated surgical fields by providing retraction, occlusion and identification of arteries, veins, nerves and ureters.

- **Unique design** – provides access to complicated surgical fields
- **Versatile** – can retract and occlude arteries, veins, nerves and ureters
- **Durable** – retains preset tension
- **Radiopaque**
- **Not made with natural rubber latex**

Cat. No.	Description	Color	Dimensions	Length
1001-78A	Super Maxi	Blue	5 mm x 1.3 mm	16 1/2" (42 cm)
1001-76	Maxi	Red	2.5 mm x 1.0 mm	
1001-82		White		
1001-80		Yellow		

2 per sterile package, 10 packages per box




Each Scanlan instrument is individually handcrafted to provide the surgeon with the highest quality, longest-lasting, precision instrument possible. Reflecting this unique process, all stated dimensions are approximate.






INCHES



CENTIMETERS



**For more information or to place an order,**  
please contact your local Scanlan representative, or  
call...

U.S. & Canada: 800-328-9458  
International: 651-298-0997  
FAX: 651-298-0018

[www.scanlaninternational.com](http://www.scanlaninternational.com)

